

## SAP BASIS TRANSACTION CODES

- **SPRO** : Tcode for Customizing : Tcode for Edit Project
- **SE11** : Tcode for ABAP Dictionary Maintenance
- **SE38** : Tcode for ABAP Editor
- **SXMB\_MONI** : Tcode for Integration Engine : Tcode for Monitoring
- **RSA3** : Tcode for Extractor Checker
- **SM59** : Tcode for RFC Destinations (Display/Maintain)
- **SE16** : Tcode for Data Browser
- **SM30** : Tcode for Call View Maintenance
- **XSLT** : Tcode for XSLT tester
- **SM37** : Tcode for Overview of job selection
- **SU01** : Tcode for User Maintenance
- **CMOD** : Tcode for Enhancements
- **SE37** : Tcode for ABAP Function Modules
- **SE80** : Tcode for Object Navigator
- **PFCG** : Tcode for Role Maintenance
- **SM50** : Tcode for Work Process Overview
- **SM12** : Tcode for Display and Delete Locks
- **SMICM** : Tcode for ICM Monitor
- **SM13** : Tcode for Administrative Update Records
- **ST01** : Tcode for System Trace
- **SM04** : Tcode for User List
- **SM51** : Tcode for List of SAP Systems
- **SMGW** : Tcode for Gateway Monitor
- **SM02** : Tcode for System Messages
- **ST11** : Tcode for Display Developer Traces

- **SM14** : Tcode for Update Program Administration
- **SM52** : Tcode for Virtual Machine Overview
- **SMMS** : Tcode for Message Server Monitor
- **SM56** : Tcode for Number Range Buffer
- **SM54** : Tcode for TXCOM Maintenance
- **RSA3** : Tcode for Extractor Checker
- **RSA7** : Tcode for BW Delta Queue Monitor
- **RSA6** : Tcode for Maintain DataSources
- **RSA5** : Tcode for Install Business Content
- **RSO2** : Tcode for Oltp Metadata Repository
- **SBIW** : Tcode for BIW in IMG for OLTP
- **RSA2** : Tcode for SAPI DataSource Repository
- **RSA9** : Tcode for Transfer Application Components
- **RSA8** : Tcode for DataSource Repository
- **RSSGPCLA** : Tcode for Maintain program class
- **RSMD** : Tcode for Extractor Checker
- **RSO3** : Tcode for Set Up Deltas for Master Data
- **RSRR\_WEB** : Tcode for Report-Report Interface in Web
- **RSFH** : Tcode for Test Transaction Data Extractors
- **RSA10** : Tcode for Realtime Test Interface Srce System
- **SNOTE** : Tcode for Note Assistant
- **SAINT** : Tcode for Add-On Installation Tool
- **SPAU** : Tcode for Display Modified DE Objects
- **SPDD** : Tcode for Display Modified DDIC Objects
- **SGEN** : Tcode for SAP Load Generator
- **COFI** : Tcode for Command File Creation

- **SE95** : Tcode for Modification Browser
- **SPAM** : Tcode for Support Package Manager
- **ICNV** : Tcode for Incremental Conversion
- **SDIN** : Tcode for General Table Display
- **SPAR** : Tcode for Determine Storage Parameters
- **IMIG** : Tcode for Incremental Migration
- **SCWB** : Tcode for Correction Workbench
- **SRT0** : Tcode for Repository Switch: PUTTB Handling
- **UMIG\_MONITOR** : Tcode for Incremental Migration to Unicode
- **MGMT** : Tcode for Device Configuration
- **MCD** : Tcode for MI:Process Mobile Component
- **MEREP\_MON** : Tcode for Mobile Monitor
- **MEREP\_SBUILDER** : Tcode for SyncBO Builder
- **SDOE\_WB** : Tcode for Data Orchestration Workbench
- **MEREP\_PD** : Tcode for Profile Dialog
- **SDOE\_SR** : Tcode for DOE Setup and Repair
- **SDOE\_LOAD** : Tcode for Trigger Backend Load
- **MEREP\_MIG** : Tcode for Migration
- **MI\_MCD** : Tcode for MI:Process Mobile Component
- **MEREP\_EX\_REPLIC** : Tcode for Execute Replicator
- **MEREP\_LOG** : Tcode for Activity Log
- **ME\_WIZARD** : Tcode for ME: Registration and Generation
- **SDOE\_RMM01** : Tcode for Receiver Meta Model
- **SDOE\_UPLOAD\_ARCHIVE** : Tcode for Transaction to Upload Archive to DOE
- **SU01** : Tcode for User Maintenance
- **PFCG** : Tcode for Role Maintenance

- **SU53** : Tcode for Evaluate Authorization Check
- **SU24** : Tcode for Maintain Authorization Defaults
- **SUIM** : Tcode for User Information System
- **SU3** : Tcode for Maintain Users Own Data
- **SECSTORE** : Tcode for Administration of Secure Storage
- **SU10** : Tcode for User Mass Maintenance
- **SU25** : Tcode for Upgrade Tool for Profile Generator
- **SM20** : Tcode for Analysis of Security Audit Log
- **SU21** : Tcode for Maintain Authorization Objects
- **STRUST** : Tcode for Trust Manager
- **SLICENSE** : Tcode for Administer SAP Licenses
- **SM19** : Tcode for Security Audit Configuration
- **STRUSTSSO2** : Tcode for Trust Manager for Logon Ticket
- **I18N** : Tcode for Internationalization
- **UCCHECK** : Tcode for Unicode Syntax Check
- **SPUMG** : Tcode for Unicode Preconversion
- **SUMG** : Tcode for Unicode Postconversion
- **SNLS** : Tcode for Display NLS (character set, lang.)
- **SNL1** : Tcode for Display NLS (character set, lang.)
- **SNL3** : Tcode for Develop NLS (character set, lang...)
- **SCP** : Tcode for Display and Maintain Code Page
- **CLJP** : Tcode for Specify Japanese calender
- **SNL2** : Tcode for Set NLS (character set, language...)
- **SCPMIG** : Tcode for Character Conversion
- **REPAST** : Tcode for I18N:repast transaction
- **SE11** : Tcode for ABAP Dictionary Maintenance

- **SE38** : Tcode for ABAP Editor
- **SE16** : Tcode for Data Browser
- **CMOD** : Tcode for Enhancements
- **SE37** : Tcode for ABAP Function Modules
- **SE80** : Tcode for Object Navigator
- **SMOD** : Tcode for SAP Enhancement Management
- **SE14** : Tcode for Utilities for Dictionary Tables
- **SE93** : Tcode for Maintain Transaction Codes
- **SPROXY** : Tcode for Enterprise Repository Browser
- **SE30** : Tcode for ABAP Objects Runtime Analysis
- **SE18** : Tcode for Business Add-Ins: Definitions
- **SE24** : Tcode for Class Builder
- **SE51** : Tcode for Screen Painter
- **SE19** : Tcode for Business Add-Ins: Implementations
- **XSLT** : Tcode for XSLT tester
- **ST22** : Tcode for ABAP Dump Analysis
- **SM35** : Tcode for Batch Input Monitoring
- **SHD0** : Tcode for Transaction and Screen Variants
- **SHDB** : Tcode for Batch Input Transaction Recorder
- **SAS** : Tcode for ABAP Debugger Scripting
- **SICK** : Tcode for Installation Check
- **ABAPDOCU** : Tcode for Display ABAP Documentation
- **SLIN** : Tcode for ABAP Extended Program Check
- **SM01** : Tcode for Lock Transactions
- **BCABA** : Tcode for BC ABAP Programming
- **VARD** : Tcode for Display report variant

- **SMI** : Tcode for Memory Inspector
- **SAAB** : Tcode for Checkpoints that Can Be Activated
- **SAMT** : Tcode for ABAP Program Set Processing
- **DB13** : Tcode for DBA Planning Calendar
- **DBACOCKPIT** : Tcode for Start DBA Cockpit
- **LC10** : Tcode for liveCache Assistant
- **DBCO** : Tcode for Database Connection Maintenance
- **DB12** : Tcode for DBA Backup Logs
- **DB20** : Tcode for Update DB Statistics
- **DB14** : Tcode for Display DBA Operation Logs
- **DB59** : Tcode for MaxDB/liveCache System Overview
- **DB50** : Tcode for SAP DB Assistant
- **DB16** : Tcode for Display DB Check Results
- **DB17** : Tcode for Configure DB Check
- **DB13C** : Tcode for Central DBA Planning Calendar
- **DB2** : Tcode for DB2 z/OS: Select Database Activities
- **DB21** : Tcode for Configure DB Statistics
- **DB6COCKPIT** : Tcode for DB6: DBA Cockpit
- **SM53** : Tcode for VMC Monitoring and Administration
- **VMCJDB** : Tcode for VM Container Mini Debugger
- **SCOT** : Tcode for SAPconnect : Tcode for Administration
- **SOST** : Tcode for SAPconnect Send Requests
- **SQ01** : Tcode for SAP Query: Maintain queries
- **SO10** : Tcode for SAPscript: Standard Texts
- **SE71** : Tcode for SAPscript form
- **SBWP** : Tcode for SAP Business Workplace

- **SQVI** : Tcode for QuickViewer
- **SE78** : Tcode for Administration of Form Graphics
- **BRF** : Tcode for Business Rule Framework : Tcode for Workbench
- **SLG1** : Tcode for Application Log: Display Logs
- **SQ02** : Tcode for SAP Query: Maintain InfoSet
- **OB08** : Tcode for C FI Maintain table TCURR
- **SNRO** : Tcode for Number Range Objects
- **BRFPLUS** : Tcode for BRFplus Workbench
- **SCAL** : Tcode for Factory Calendar with GUI
- **WSADMIN** : Tcode for Web Service Administration
- **WSCONFIG** : Tcode for Release Web Services
- **LPCONFIG** : Tcode for Maintain Logical Ports
- **WSPUBLISH** : Tcode for Publish Web services
- **SEW** : Tcode for Service Extension Workbench
- **SOAMANAGER** : Tcode for SOA Manager
- **SRDEBUG** : Tcode for Activate Remote Debugging
- **SRTUTIL** : Tcode for Tracing Utilities for Web Service
- **SRT\_UTIL** : Tcode for Tracing Utilities for Web Service
- **WSPARAM** : Tcode for Enterprise Registry Parameters(New)
- **WSCCLASS** : Tcode for Web Service Classification
- **WSADMIN2** : Tcode for Web Service Administration (7.10)
- **ESI\_MAPPING** : Tcode for ESI Mapping
- **ESI\_MAPPING\_DB** : Tcode for ESI Mapping
- **SUDDIREG** : Tcode for Maintain UDDI Registries
- **STMS** : Tcode for Transport Management System
- **SE09** : Tcode for Transport Organizer

- **SE10** : Tcode for Transport Organizer
- **SCC4** : Tcode for Client Administration
- **SE03** : Tcode for Transport Organizer Tools
- **SCC1** : Tcode for Client Copy : Tcode for Special Selections
- **SE01** : Tcode for Transport Organizer (Extended)
- **SE06** : Tcode for Set Up Transport Organizer
- **SMLT** : Tcode for Language Management
- **SCCL** : Tcode for Local Client Copy
- **SEPA** : Tcode for EPS Server: Administration
- **SCC8** : Tcode for Client Export
- **SCC9** : Tcode for Remote Client Copy
- **STMS\_IMPORT** : Tcode for TMS Import Queue
- **SCC3** : Tcode for Client Copy Log
- **SXMB\_MONI** : Tcode for Integration Engine : Tcode for Monitoring
- **SXI\_CACHE** : Tcode for Integration Directory Cache
- **SXMB\_ADM** : Tcode for Integration Engine : Tcode for Administration
- **SXI\_MONITOR** : Tcode for XI: Message Monitoring
- **SXMB\_IFR** : Tcode for Start Integration Builder
- **IDX5** : Tcode for IDoc Adapter : Tcode for Monitoring
- **SXMB\_MONI\_BPE** : Tcode for Process Engine : Tcode for Monitoring
- **SWF\_XI\_CUSTOMIZING** : Tcode for Automatic BPM Customizing
- **SXMB\_ADMIN** : Tcode for Integration Engine : Tcode for All Functions
- **SWF\_INB\_CONF** : Tcode for Configuration Inbound Processing
- **SXI\_MAPPING\_TEST** : Tcode for Test Environment for All
- **IDXPW** : Tcode for IDoc Package Wizard
- **SWF\_BAM** : Tcode for BAM: Administration



- **IDXP** : Tcode for Monitor for Message Packages
- **SXMS\_LMS\_CONF** : Tcode for User-Defined Search: Config.
- **LPD\_CUST** : Tcode for Launchpad customizing
- **POWL\_QUERY** : Tcode for Maintain POWL Query definition
- **POWL\_QUERYR** : Tcode for Maintain POWL Query role assignment
- **POWL\_TYPE** : Tcode for Maintain POWL Type definition
- **POWL\_TYPER** : Tcode for Maintain POWL Type role assignment
- **POWL\_EASY** : Tcode for Easy-POWL Feeder Builder
- **POWL\_QUERYU** : Tcode for Maintain POWL Query user assignment
- **FPB\_MAINTAIN\_HIER** : Tcode for Personalization: Hierarchy Maint.
- **FPB\_MAINTAIN\_PERS\_M** : Tcode for Collective Processing of Pers. Data
- **FPB\_MAINTAIN\_PERS\_S** : Tcode for Individual Processing of Pers. Data
- **POWL\_CAT** : Tcode for Maintain POWL categories
- **POWL\_COCKPIT** : Tcode for POWL Administrator Cockpit
- **POWL\_TYPEU** : Tcode for Maintain POWL Type user assignment
- **WDK\_APPL\_REG** : Tcode for WDK application registration
- **FPB\_DELETE\_PERS\_DATA** : Tcode for Delete Selected Personalization Data
- **CI\_IMPORT** : Tcode for Import Device Properties
- **EUPTSP** : Tcode for GP Content Transport

Url : <http://sapbrainsonline.com/basis-tutorial>