

SAP CRM TABLES LIST

- **BUT000** : This table stores Has general data (Person number)
- **TSAD3T** : This table stores Title
- **BUT020** : This table stores BP: This table stores Addresses (Address number)
- **BUT021** : This table stores BP: This table stores Address usages (Address type)
- **BUT021_FS** : This table stores Time-Dependent Address Usage (Detailed Address Type)
- **ADRC** : This table stores Addresses (Business Address Services) Other details
- **ADRP** : This table stores Persons (Business Address Services)
- **ADR2** : This table stores Telephone Numbers (Business Address Services)
- **ADR3** : This table stores Fax Numbers (Business Address Services)
- **ADR4** : This table stores Teletex Numbers (Business Address Services)
- **ADR5** : This table stores Telex Numbers (Business Address Services)
- **ADR6** : This table stores E-Mail Addresses (Business Address Services)
- **ADR10** : This table stores Printer (Business Address Services)
- **ADR12** : This table stores FTP and URL (Business Address Services)
- **CRMV_LINKORGMAN** : This table stores Link with Organizational Management at Header Level
- **BUT050** : This table stores BP relationships/role definitions: This table stores General data
- **BUT050_CD** : This table stores BP Rel./Role Determination: This table stores Index Table for Change Doc.Access
- **BUT051** : This table stores BP Relationship: This table stores Contact Person Relationship
- **BUT052** : This table stores BP Relationship: This table stores Addresses
- **BUT053** : This table stores BP Relationship: This table stores Company Interest
- **BUTOBANK** : This table stores Business Partner: This table stores Bank Data

- **BUTOBK** : This table stores BP: This table stores Bank details
- **BUTOCC** : This table stores BP: This table stores Payment Cards
- **BUTOID** : This table stores BP: This table stores ID Numbers
- **BUTOID_BIP_NOHIT** : This table stores Business Information Provider: This table stores Logging of non identified BP
- **BUTOIS** : This table stores BP: This table stores Industries
- **BUTOVP** : This table stores BP: This table stores Business Partner Assignment and Links
- **BUT100** : This table stores BP: This table stores Roles
- **BUT150** : This table stores BP relationship: This table stores Attribute table (test different.type TBUKR)
- **CRMM_BUT_BUHI_1** : This table stores R/3 Customer Sales Area CRM BP Hierarchy Group Mapping
- **CRMM_BUT_BUHI_2** : This table stores R/3 Leaf Customer Sales Area CRM BP Hierarchy Group Mapping
- **CRMM_BUT_CONTNO** : This table stores Mapping Table Business Partner Relationship – Contact Person
- **CRMM_BUT_CRMOBJ** : This table stores Buffer: This table stores Which BPs are in Which Systems
- **CRMM_BUT_CUSTNO** : This table stores Mapping Table Business Partner – Customer
- **CRMM_BUT_FRG0040** : This table stores Business Partner Sales Classification List
- **CRMM_BUT_FRG0041** : This table stores Business Partner Sales Classification
- **CRMM_BUT_FRG0042** : This table stores Business Partner Sales Classification List Order Blocks
- **CRMM_BUT_FRG0050** : This table stores Business Partner – Status
- **CRMM_BUT_FRG0060** : This table stores Business Partner – Business Hours

- **CRMM_BUT_FRG0061** : This table stores Business Partner – Business Hours Interval
- **CRMM_BUT_FRG0070** : This table stores Business Partner Excluded Partner Functions List
- **CRMM_BUT_FRG0071** : This table stores Business Partner Excluded Partner Functions
- **CRMM_BUT_FRG0080** : This table stores Business Partner – Sales Area – Partner Function List
- **CRMM_BUT_FRG0081** : This table stores Business Partner – Sales Area – Partner Function
- **CRMM_BUT_FRG0100** : This table stores CRM Business Partner: This table stores Status
- **CRMM_BUT_KOR0040** : This table stores Business Partner Korea
- **CRMM_BUT_KOR0041** : This table stores Business Partner Korea History
- **CRMM_BUT_LNK0010** : This table stores Business Partner – Sales Rule List
- **CRMM_BUT_LNK0011** : This table stores Business Partner – Sales Rule
- **CRMM_BUT_LNK0020** : This table stores Business Partner – Shipping Rule List
- **CRMM_BUT_LNK0021** : This table stores Business Partner – Shipping Rule
- **CRMM_BUT_LNK0030** : This table stores Business Partner – Billing Rule List
- **CRMM_BUT_LNK0031** : This table stores Business Partner – Billing Rule
- **CRMM_BUT_LNK0140** : This table stores Business Partner Organization Rule List
- **CRMM_BUT_LNK0141** : This table stores Business Partner Organization Rule
- **CRMM_BUT_MIGRATE** : This table stores Migration Table: This table stores Fields Changed In CDB
- **CRMM_BUT_SEMPL00** : This table stores Sales Employee for Contact Person Relationship: This table stores Admin. Tech.
- **CRMM_BUT_SEMPL01** : This table stores Sales Employee to Contact Person Rel.: This table stores Data Table

- **CRMM_BUT_SET0010** : This table stores Business Partner – Sales Rule Period
- **CRMM_BUT_SET0020** : This table stores Business Partner – Shipping Rule Period
- **CRMM_BUT_SET0030** : This table stores Business Partner – Billing Rule Period
- **CRMM_BUT_SET0140** : This table stores Business Partner Organization Rule Period
- **CRMM_BUT_TDAR010** : This table stores Business Partner – Time-Dependent Appointment Rules
- **CRMM_BUT_TDAR011** : This table stores Business Partner – Time-Dependent Appointment Rule Intervals
- **CRMM_BUT_TDAR012** : This table stores Business Partner – Time-Dependent Appt Rule Single Intervals
- **BUT_DNC** : This table stores BP: This table stores Telephone Numbers of the “Do Not Call” List
- **BUT_DNC_OLD** : This table stores BP: This table stores Telephone Numbers of the “Do Not Call” List
- **BUT_FRG0010** : This table stores Business Partner: This table stores Tax Classification
- **BUT_FRG0011** : This table stores Business Partner: This table stores Tax Classification
- **BUT_HIER_NODE** : This table stores Business Partner Hierarchy Group
- **BUT_HIER_NODE_BP** : This table stores Business Partner Hierarchy Group – Bus. Partner Assignment
- **BUT_HIER_NODE_D** : This table stores Business Partner Hierarchy Group – Description
- **BUT_HIER_STRUCT** : This table stores Business Partner Hierarchy Group – Hierarchy Relationship
- **BUT_HIER_TREE** : This table stores Business Partner Group Hierarchy
- **BUT_HIER_TREE_D** : This table stores Business Partner Group Hierarchy – Description

- **BUT_HIER_TYPE** : This table stores Business Partner Group Hierarchy Category (GUID)
- **CRMD_ACTIVITY_H** : This table stores Activity Header table
- **CRMD_ACTIVITY_I** : This table stores Activity Reporting: This table stores Activity Line Item Extension
- **CRMD_TM_ACTIVITY** : This table stores Activity reference
- **CRMD_LEAD_H** : This table stores Lead Header table
- **COMM_IL_PRDCPN** : This table stores Master Data of Relationship Type Customers
- **CRMD_OPPORT_H** : This table stores Opportunity Header table
- **CRMC_T077D** : This table stores customer account groups
- **BUT_HIER_TREE** : This table stores Business Partner Group Hierarchy
- **CDBC_T_PRODUCTID** : This table stores Mapping: This table stores Product Id
- **CDBD_ORGMAN** : This table stores Business transaction – organizational unit -set
- **COMC_PRODUCT** : This table stores General Product Settings
- **COMC_R3_FIELDS** : This table stores Assignment of R/3 material master fields to CFOP
- **COMM_CATEGORY** : This table stores Category
- **COMM_CFGMAT** : This table stores Basic Data for Materials
- **COMM_HIERARCHY** : This table stores Category Hierarchy
- **COMP_TYPES** : This table stores Hierarchy Tool: This table stores Comparison Type Check Table
- **CRMC_CPRICPROC** : This table stores Customer Pricing Procedures
- **SMOKVBEZ15** : This table stores Assignment employees to positions
- **CRMMLSGUID**: This table stores GUID entry (should match GUID in CRMPRLS)
- **CRMM_BUT_CUSTNO** : This table stores Also GUID table (GUID here should match GUID in R/3 table CRMKUNNR)
- **SMOFSUBTAB** : This table stores Mapping & Parameters
- **SMOFDSTAT** : This table stores Download Monitor (R4AM1)

- **SMOFFILTAB** : This table stores Filters (Should match filters in R3AC1 & R/3 Table CRMFILTAB)
- **SMOFOBJECT** : This table stores Definition of Objects for Download
- **SMOFOBJPAR** : This table stores Parent Objects of an Object in Table
- **SMOFPARSFA** : This table stores Middleware Parameter
- **SMOQFIND** : This table stores Queue Finder Table for MW-Queue finder
- **SMOFTABLES** : This table stores Definition of Tables for Download
- **COMM_PR_FRG_ROD**: This table stores Product Sales Set - Product – Assignment
- **CRMV_PR_SALESA**: This table stores Product - Sales Order Set
- **CRMD_PRICING_I**: This table stores Transaction Item Price
- **CRM_JEST** : (combined with CRM_JSTO): This table stores status value table for all business objects which are using status management
- **CRMD_MKTTG_TG_H**: This table stores CRM Marketing: This table stores Target Group Header Data
- **CRMD_ORDER_INDEX**: This table stores Index table for one-order document
- **CRMD_ORDERADM_H** : This table stores Document Header Table
- **CRMD_ORDERADM_I** : This table stores Document Line item Table
- **CRMC_PROC_CATTYP**: This table stores Defines process type to category type
- **CRMV_LINKPARTNER**: This table stores For Easy Access to the Partner Set, maintain the relationship between one order instance and its partner set
- **CRMD_LINK**: This table stores Transaction - Set - Link. Relationship between GUID of a CRM Order Object and object type
- **CRMD_SALES**: This table stores Business Transaction - Sales Set
- **CRM_MKTPL_ATTR**: This table stores CRM Marketing Planner: This table stores Marketing plan/campaign attributes
- **CRMV_LINKORGMAN**: This table stores Link with Organizational Management at Header Level
- **CRMC_SVH_ENTRIES**: This table stores Smart Value Help - Last five entries

- **CRMM_TERRITORY_V:** This table stores Territory validity date
- **CRMD_ORGMAN:** This table stores Organizational Unit Data Set
- **COMM_IL_SERVI:** This table stores Master Data of Relationship Type Services
- **CRMD_SCHDLIN:** This table stores Business Transaction Item - Schedule Line
- **CRMD_PRODUCT_I:** This table stores Transaction Item - Product
- **CRMD_TERR_LINK:** This table stores Mapping between the Rule and Territory
- **CRMD_PARTNER:** This table stores Partner Header table
- **CRMC_WST_DESIGN:** This table stores Open Services Tool: This table stores Design
- **CRMC_WST_DOBJ:** This table stores Open Services Tool: This table stores Design Object list
- **CRMC_WST_SRV_OBJ:** This table stores Open Services Tool: This table stores Service Object
- **WCFD_ES_CPOINTER:** This table stores Delta pointer handling: This table stores Map BOL root object to template
- **CRMV_ES_TMPLHDR:** This table stores Enterprise search Template header view
- **TOJTB:** This table stores BOR header table
- **SOTR_HEAD:** This table stores Header Table for OTR Texts
- **SOTR_TEXT:** This table stores Text Table in the OTR
- **BSPWD_ADH_DSBL(BSPWD_ADH_DSBLC):** This table stores Delta Handling disablement config for individual views
- **BSP_DLC_SDESIGN:** This table stores Design layer: This table stores Field labels for Design
- **BSP_DLC_SDOBJ:** This table stores Design object header table
- **BSP_DLC_SDASSIGN:** This table stores Design layer: This table stores Assignment of design object to UI
- **BSP_V_DLC_STXT:** This table stores View to access standard configuration texts
- **BSPC_DL_XMLSTRX2:** This table stores Storagetable for XML layout descriptions

- **BSP_DL_XMLST_PR**: This table stores Processed Standard Configuration (switch related handling)
- **BSP_DL_XMLSTRX2**: This table stores Storagetable for delivered XML layout descriptions
- **BSPC_DL_STXTREP2**: This table stores Repository for custom texts
- **BSP_V_DLC_STXT**: This table stores View to access standard configuration texts
- **BSPC_DL_PERSSTOR**: This table stores Storagetable for XML personalized layout descriptions
- **CRMV_PROD_SALESA**: This table stores CRM Product ID & Sales area info

Refer <http://sapbrainsonline.com/help/crm-tutorial.html> for more SAP CRM Resources
