

SAP HCM PA TABLES

- PA0001 : Table stores HR Master Record: Infotype 0001 (Org. Assignment)
- PA0002 : Table stores HR Master Record: Infotype 0002 (Personal Data)
- PA0000 : Table stores HR Master Record: Infotype 0000 (Actions)
- PA0008 : Table stores HR Master Record: Infotype 0008 (Basic Pay)
- T001P : Table stores Personnel Area/Subarea
- PA0105 : Table stores HR Master Record: Infotype 0105 (Communications)
- T510 : Table stores Pay Scale Groups
- T588M : Table stores Infotype Screen Control
- PA0006 : Table stores HR Master Record: Infotype 0006 (Addresses)
- T511 : Table stores Wage Types
- T500P : Table stores Personnel Areas
- PREL : Table stores HR Master Data (Old Version, For Conversion Only)
- T529A : Table stores Personnel Action Types
- PA0041 : Table stores HR Master Record: Infotype 0041 (Date Specifications)
- PA0003 : Table stores HR Master Record: Infotype 0003 (Payroll Status)
- V_T511 : Table stores Generierte Tabelle zu einem View
- T527X : Table stores Organizational Units
- T528T : Table stores Position Texts

- T539J : Table stores Base Wage Type Valuation
- V_T588M : Table stores Generated Table for View V_T588M
- T588Z : Table stores Dynamic Actions
- T591A : Table stores Subtype Characteristics
- T512T : Table stores Wage Type Texts
- V_T510 : Table stores Generated Table for View V_T510
- V_T582A : Table stores Generated Table for View V_T582A
- T503 : Table stores Employee Group/Subgroup
- PA0009 : Table stores HR Master Record: Infotype 0009 (Bank Details)
- V_001P_ALL : Table stores Generated Table for View V_001P_ALL
- PA0022 : Table stores HR Master Record: Infotype 0022 (Education)
- T582A : Table stores Infotypes: Customer-Specific Settings
- V_503_ALL : Table stores Generated Table for View V_503_ALL
- V_T591A : Table stores Generated Table for View V_T591A
- V_T539J : Table stores Generierte Tabelle zu einem View
- PA0014 : Table stores HR Master Record: Infotype 0014 (Recur. Payments/Deds.)
- V_T588D : Table stores Generierte Tabelle zu einem View
- PA0021 : Table stores HR Master Record: Infotype 0021 (Family)
- T591S : Table stores Subtype Texts
- PA0015 : Table stores HR Master Record: Infotype 0015 (Additional Payments)
- T500L : Table stores Personnel Country Grouping
- T549A : Table stores Payroll areas

- T582S : Table stores Infotype Texts
- T539A : Table stores Planned Remuneration Specification
- T503Z : Table stores Country Assignment for Employee Group/Subgroup
- V_T539A : Table stores Generierte Tabelle zu einem View
- V_T512Z : Table stores Generated Table for View V_T512Z
- V_T508A : Table stores Generated Table for View V_T508A
- PA0023 : Table stores HR Master Record: Infotype 0023 (Other/Previous Employers)
- V_511_B : Table stores Generierte Tabelle zu einem View
- T503K : Table stores Employee subgroup
- T528B : Table stores Positions
- T501 : Table stores Employee Group
- PA0027 : Table stores HR Master Record: Infotype 0027 (Cost Distribution)
- T517T : Table stores Educational Establishment Type Designations
- T500C : Table stores Currency for Public Service Sector
- V_T510F_B : Table stores Generated Table for View V_T510F_B
- T519T : Table stores Final Certificates
- T513S : Table stores Job Titles
- V_T588Z : Table stores Generated Table for View V_T588Z
- T512Z : Table stores Permissibility of Wage Types per Infotype
- T522T : Table stores Forms of Address
- T752F : Table stores Employee Data from External Systems (Temporary Storage)

- PA0025 : Table stores HR Master Record: Infotype 0025 (Appraisals)
- PA0024 : Table stores HR Master Record: Infotype 0024 (Qualifications)
- PA0016 : Table stores HR Master Record: Infotype 0016 (Contract Elements)
- T538T : Table stores Units of Time/Measurement Texts
- T500W : Table stores Valid Country Currencies
- T503T : Table stores Employee Subgroup Names
- V_T582L : Table stores Generated Table for View V_T582L
- T549R : Table stores Period Parameters
- PA0302 : Table stores HR Master Record: Infotype 0302 (Additional Actions)
- T588D : Table stores Infogroups for Actions
- V_503_B : Table stores Generated Table for View V_503_B
- PANNNN : Table stores HR Master Record: Infotype NNNN
- T518B : Table stores Vocation Descriptions
- T529T : Table stores Personnel Action Texts
- T510F : Table stores Assign Pay Scale --> Currency
- V_T500P : Table stores Generated Table for View V_T500P
- PA0028 : Table stores HR Master Record: Infotype 0028 (Int. Medical Service)
- PA0040 : Table stores HR Master Record: Infotype 0040 (Objects on Loan)
- T502T : Table stores Marital Status Designators
- V_T588I : Table stores Generated Table for View V_T588I

- T522G : Table stores Title Keys
- V_T585B : Table stores Generierte Tabelle zu einem View
- V_T585A : Table stores Generated Table for View V_T585A
- T517X : Table stores Branches of Study
- T530T : Table stores Reason for Action Texts
- V_588B_M : Table stores Generierte Tabelle zu einem View
- PA0019 : Table stores HR Master Record: Infotype 0019 (Monitoring of Dates)
- V_T585C : Table stores Generated Table for View V_T585C
- T513C : Table stores Jobs With Other/Previous Employers
- V_001P_C : Table stores Generated Table for View V_001P_C
- T549D : Table stores Features Directory
- T549T : Table stores Payroll areas
- T530 : Table stores Reasons for Actions
- T501T : Table stores Employee Group Names
- V_T503Z : Table stores Generated Table for View V_T503Z
- T513 : Table stores Jobs
- T591B : Table stores Time Constraints for Wage Types
- T529U : Table stores Status Values
- T588Q : Table stores Screen Types for Fast Entry
- T510A : Table stores Pay Scale Types
- T500T : Table stores HR Country Groupings
- V_T001P : Table stores Generated Table for View V_T001P
- V_T530 : Table stores Generierte Tabelle zu einem View
- T582L : Table stores Infotypes : Table stores country-specific settings

- V_T5850 : Table stores Generated Table for View V_T5850
- V_582A_B : Table stores Generated Table for View V_582A_B
- T510K : Table stores Constant Valuations
- T548T : Table stores Date Types
- T549N : Table stores Period Modifiers
- V_T588B : Table stores Generierte Tabelle zu einem View
- V_503_E : Table stores Generated Table for View V_503_E
- V_503_C : Table stores Generated Table for View V_503_C
- PA0032 : Table stores HR Master Record: Infotype 0032 (Internal Data)
- V_503_G : Table stores Generated Table for View V_503_G
- V_T591B : Table stores Generated Table for View V_T591B
- T547T : Table stores Periods of Notice
- T599C : Table stores Report Categories
- V_T588C : Table stores Generated Table for View V_T588C
- T549B : Table stores Company Features
- V_T582V : Table stores Generated Table for View V_T582V
- T582V : Table stores Assignment of Infotypes to Views
- V_001P_K : Table stores Generated Table for View V_001P_K
- PA0709 : Table stores HR Master Record: Infotype 0709 (Person ID)
- PA0004 : Table stores HR Master Record: Infotype 0004 (Challenge)
- PA0034 : Table stores HR Master Record: Infotype 0034 (Corporate Functions)
- V_T510K : Table stores Generated Table for View V_T510K
- T536B : Table stores Communication Keys

- V_T588UICONVCLAS : Table stores Generierte Tabelle zu einem View
- T510W : Table stores Pay Scale > Period Parameter Assignment
- T599U : Table stores Universal HR Tables
- VV_T588C_G_AL0 : Table stores Generated Table for View
VV_T588C_G_AL0
- T529F : Table stores Fast Data Entry for Actions
- T510G : Table stores Pay Scale Areas
- T588R : Table stores Selection Reports for Fast Data Entry
- V_T591C : Table stores Generated Table for View V_T591C
- T599B : Table stores Report Categories
- T599W : Table stores HR Report Categories
- T549C : Table stores Decision Trees for Features (Customers)
- V_T510A : Table stores Generated Table for View V_T510A
- PA0402 : Table stores HR Master Data Infotype 0402
- T582W : Table stores Assigns Infotype View to Primary Infotype
- T547S : Table stores Contract Type Texts
- T548Y : Table stores Date Types
- V_T548Y : Table stores Generated Table for View V_T548Y
- V_T582G : Table stores Generierte Tabelle zu einem View
- T522 : Table stores Title Keys
- M_PREMN : Table stores Generierte Tabelle zu einem View
- V_503_D : Table stores Generated Table for View V_503_D
- T599F : Table stores Report Categories : Table stores Select Options
- V_528B_C : Table stores Generierte Tabelle zu einem View
- V_T582ITVCHCK : Table stores Generierte Tabelle zu einem View

- T518A : Table stores Vocation Check Table
- PA0031 : Table stores HR Master Record: Infotype 0031 (Reference Pers.Nos.)
- V_T510W : Table stores Generated Table for View V_T510W
- T578Z : Table stores Control Table for Internal Medical Service
- V_T510G : Table stores Generated Table for View V_T510G
- V_T528T : Table stores Generated Table for View V_T528T
- T528C : Table stores Wage Type Catalog
- T547V : Table stores Contract Types
- T588W : Table stores Event types for infotype operations
- H_T001P : Table stores Generated Table for View H_T001P
- V_T582W : Table stores Generierte Tabelle zu einem View
- T531 : Table stores Deadline Types
- VV_T588C_M_AL0 : Table stores Generated Table for View VV_T588C_M_AL0
- T538A : Table stores HR Time/Masurement Units
- T510M : Table stores Valuation of pay scale groups acc. to hiring date
- T588V : Table stores Business Object Type Determination
- T510U : Table stores Pay Scale Groups
- T530E : Table stores Reasons for Changes
- T530F : Table stores Reasons for Changes
- T588G : Table stores Field-Specific Retroactive Accounting Recognition
- T539S : Table stores Wage Types for Standard Wage Maintenance
- T549X : Table stores Recurr. Pymts/Deducs: Payment Periods

- T531S : Table stores Deadline Type Texts
- T584A : Table stores Test Procedures : Table stores Infotype Assignment
- V_T506D : Table stores Generated Table for View V_T506D
- T539R : Table stores Actions for Standard Wage Maintenance
- T588T : Table stores Menu and Infogroup Designations
- T599D : Table stores Report Category Names
- VV_52D7_B_0210_AL0 : Table stores Generated Table for View VV_52D7_B_0210_AL0
- T588S : Table stores Screen Types for Fast Entry
- V_T582ITVCLAS : Table stores Generierte Tabelle zu einem View
- T588X : Table stores Cust. composite definition of event types for IT operations
- V_T547T : Table stores Generated Table for View V_T547T
- T574A : Table stores Qualification Keys
- V_T531 : Table stores Generated Table for View V_T531
- V_588B_S : Table stores Generierte Tabelle zu einem View
- H_T528B : Table stores Generierte Tabelle zu einem View
- V_T549X : Table stores Generated Table for View V_T549X
- T588H : Table stores Infotype Header Data Selection Control
- T578W : Table stores Texts On Values For Areas Of Examination
- PA0900 : Table stores HR Master Record: Infotype 0900 (Sales Data)
- V_T522N : Table stores Generierte Tabelle zu einem View
- PA0442 : Table stores HR Master Record: Infotype 0442
- T542A : Table stores Work Contract

- T582ITVCLAS : Table stores Classes for Determining Version IDs and Infotype Containers
- H_T503Z : Table stores Generated Table for View H_T503Z
- VV_T591A_0040__AL0 : Table stores Generated Table for View VV_T591A_0040__AL0
- T542T : Table stores Employment Contracts
- PA0057 : Table stores HR Master Record: Infotype 0057 (Membership Fees)
- T599R : Table stores HR Report Attributes
- V_T582B : Table stores Generated Table for View V_T582B
- PA0030 : Table stores HR Master Record: Infotype 0030 (Powers of Attorney)
- V_529A_B : Table stores Generierte Tabelle zu einem View
- V_530_E : Table stores Generierte Tabelle zu einem View
- V_T527X : Table stores Generated Table for View V_T527X
- V_T530_ALL : Table stores Generierte Tabelle zu einem View
- V_T520M : Table stores Generated Table for View V_T520M
- V_T529U : Table stores Generierte Tabelle zu einem View
- V_582A_D : Table stores Generated Table for View V_582A_D
- V_T582S : Table stores Generated Table for View V_T582S
- V_T582ITD : Table stores Generated Table for View V_T582ITD
- T513F : Table stores Appraisal Criteria Texts
- T549W : Table stores Recurr. Pymts/Deducs: Payment Models
- T545T : Table stores Corporation Texts

- T588L : Table stores Field names for screens different from DDIC entry
- T588UICONVCLAS : Table stores Assignment UI Structures and UI Conversion Classes
- V_T588G : Table stores Generierte Tabelle zu einem View
- V_T547V : Table stores Generated Table for View V_T547V
- M_PREMC : Table stores Generierte Tabelle zu einem View
- PA0035 : Table stores HR Master Record: Infotype 0035 (Comp.Instr.)
- PA0011 : Table stores HR Master Record: Infotype 0011 (Ext.Bank Transfers)
- V_T517T : Table stores Generated Table for View V_T517T
- V_T538A : Table stores Generated Table for View V_T538A
- T578T : Table stores Areas Of Examination
- T578X : Table stores Permissible Values for Areas of Examination
- VV_T591A_0006__AL0 : Table stores Generated Table for View VV_T591A_0006__AL0
- V_T522N_A : Table stores Generierte Tabelle zu einem View
- V_T599R : Table stores Generated Table for View V_T599R
- V_T542A : Table stores Generated Table for View V_T542A
- T513H : Table stores Appraisal Criteria
- T517Y : Table stores Specialty validation table
- T588AUTO_TABLE : Table stores Mapping for Conversion of Repeat Structure/Tables
- T521B : Table stores Payee Keys
- V_T517A : Table stores Generated Table for View V_T517A

- VV_T539J_B_ANSAL_AL0 : Table stores Generierte Tabelle zu einem View
- V_T510F : Table stores Generated Table for View V_T510F
- V_T510I : Table stores Generated Table for View V_T510I
- V_T510_B : Table stores Generated Table for View V_T510_B
- HROBJ : Table stores HR: Objects
- T549V : Table stores Recurr. Pymts/Deds: Default Values for Payment Model
- H_T500P : Table stores Generated Table for View H_T500P
- M_PREMU : Table stores Generierte Tabelle zu einem View
- V_T521B : Table stores Generierte Tabelle zu einem View
- M_PREMK : Table stores Generierte Tabelle zu einem View
- PA0139 : Table stores HR Master Record: Infotype 0139 (Employees Appl.No)
- VV_T588C_I_AL0 : Table stores Generated Table for View VV_T588C_I_AL0
- VV_T588C_S_AL0 : Table stores Generated Table for View VV_T588C_S_AL0
- PA0403 : Table stores HR Master Record for Infotype 0403
- T549U : Table stores Recurr. Pymts/Deducs: Payment Periods per Payment Interval
- V_T517Z : Table stores Generated Table for View V_T517Z
- H_T517T : Table stores Generated Table for View H_T517T
- V_T549W : Table stores Generated Table for View V_T549W
- V_T588AUTO_TEXTC : Table stores Generated Table for View V_T588AUTO_TEXTC

- T577 : Table stores Family Characteristics
- T513A : Table stores User-related Values
- V_T569V : Table stores Generated Table for View V_T569V
- V_T510_ANSAL : Table stores Generated Table for View V_T510_ANSAL
- V_T513S : Table stores Generierte Tabelle zu einem View
- T52CE_T : Table stores Text table for PCR directory
- T518D : Table stores Education/Training Categories Check Table
- VV_52D7_B_0014_AL0 : Table stores Generated Table for View VV_52D7_B_0014_AL0
- V_T528C : Table stores Generierte Tabelle zu einem View
- V_T588F4_TEXT : Table stores Generated Table for View V_T588F4_TEXT
- T574B : Table stores Qualification Names
- T591C : Table stores Recipient Type for Communication Type
- T599V : Table stores Universal HR Tables
- V_T502T : Table stores Generated Table for View V_T502T
- V_T518E : Table stores Generated Table for View V_T518E
- V_T530E : Table stores Generated Table for View V_T530E
- PA0037 : Table stores HR Master Record: Infotype 0037 (Insurance)
- PA0052 : Table stores HR Master Record: Infotype 0052 (Wage Maintenance)
- PA0054 : Table stores HR Master Record: Infotype 0054 (Works Council Pay)
- PA0283 : Table stores HR Master Record for Infotype 0283 (Archiving)

- V_T519T : Table stores Generated Table for View V_T519T
- P0SUB : Table stores Subsystems to Non-SAP Systems
- P0SUT : Table stores Texts for Subsystem
- HRARCENQ : Table stores Table for Lock Object E_HR_ARC_P
- T51CE : Table stores Pollution Categories for Company Cars
- T51CET : Table stores Descriptions for the Pollution Categories
- T52CC_T : Table stores Text table for schema directory
- V_T569U : Table stores Generierte Tabelle zu einem View
- V_T572E : Table stores Generated Table for View V_T572E
- H_T530 : Table stores Generierte Tabelle zu einem View
- V_T521C : Table stores Generated Table for View V_T521C
- V_T577 : Table stores Generated Table for View V_T577
- V_T578Y : Table stores Generated Table for View V_T578Y
- H_T578Y : Table stores Generated Table for View H_T578Y
- T513I : Table stores RPDSYS00 : Table stores KWIC Index
- T513V : Table stores RPDSYS00 : Table stores Cross References
- T545 : Table stores Corporation Keys
- PA0901 : Table stores HR Master Record: Infotype 0901 (Purchasing Data)
- VV_52D7_B_0015_AL0 : Table stores Generated Table for View VV_52D7_B_0015_AL0
- T51B3 : Table stores HR-ARC: Archiving Groups That Currently Archive Logically
- M_PREMJ : Table stores Generierte Tabelle zu einem View
- V_T549V : Table stores Generated Table for View V_T549V

- T588AUTO_MAP : Table stores Mapping for Conversion of Repeat Structure/Tables
- T549Y : Table stores Recurr. Pymts/Deducs: Payment Models (Texts)
- VV_52D7_B_0008_AL0 : Table stores Generated Table for View VV_52D7_B_0008_AL0
- V_588B_B : Table stores Generierte Tabelle zu einem View
- V_T512Z_ESSEX : Table stores Generated Table for View V_T512Z_ESSEX
- V_T578X : Table stores Generated Table for View V_T578X
- T513G : Table stores Appraisal Groups
- T52IF : Table stores Assignment for Payroll
- M_PREMP : Table stores Generierte Tabelle zu einem View
- V_T578Z : Table stores Generated Table for View V_T578Z
- H_T519T : Table stores Generated Table for View H_T519T
- T5850 : Table stores HR Optical Archiving: Configuration Table for PREL and PAPL
- T588K : Table stores Field names for screens different from DDIC
- V_T530E_B : Table stores Generated Table for View V_T530E_B
- ENT7064 : Table stores Generated Table for View ENT7064
- CLSTCASE : Table stores Cluster Table for Test Cases
- T591A_ESSEX : Table stores ESS: Deactivation of Subtypes
- H_T591A : Table stores Generated Table for View H_T591A
- V_T587C_O : Table stores Generierte Tabelle zu einem View
- PA0712 : Table stores HR Master Record: Infotype 0712

- VV_T591A_0021__AL0 : Table stores Generated Table for View VV_T591A_0021__AL0
- T523T : Table stores Challenge Types
- T543 : Table stores Challenge Groups
- T705D : Table stores Function Codes
- T705V : Table stores Function Code Texts
- VV_T591A_0028__AL0 : Table stores Generated Table for View VV_T591A_0028__AL0
- V_001P_G : Table stores Generated Table for View V_001P_G
- V_T587A : Table stores Generierte Tabelle zu einem View
- V_T587C_D : Table stores Generierte Tabelle zu einem View
- V_T588AUTO_TEXT : Table stores Generated Table for View V_T588AUTO_TEXT
- V_T599F : Table stores Generated Table for View V_T599F
- H_T549A : Table stores Generated Table for View H_T549A
- T549BT : Table stores Title of SAP Features
- T549CT : Table stores Title of Customer Features
- VV_T591A_0009__AL0 : Table stores Generated Table for View VV_T591A_0009__AL0
- T510_ANSAL : Table stores Annual Salary Functionality (Infotype 0008)
- T521A : Table stores Bank Details: Relevance of Special Fields
- T599I : Table stores IMG Transaction: Dynamic Parameter
- T599T : Table stores Field Control for Report Categories
- T599X : Table stores Field Control for Report Categories

- H_T527X : Table stores Generated Table for View H_T527X
- VV_T529U_1__AL0 : Table stores Generierte Tabelle zu einem View
- V_T539J_B : Table stores Generierte Tabelle zu einem View
- V_T584A : Table stores Generated Table for View V_T584A
- T582ITD : Table stores Infotype : Table stores Dialog Module (CE)
- T582ITVERS : Table stores Entity Table for Infotype Versions
- H_T530E : Table stores Generated Table for View H_T530E
- V_001P_L : Table stores Generated Table for View V_001P_L
- V_503_F : Table stores Generated Table for View V_503_F
- V_582A_C : Table stores Generated Table for View V_582A_C
- V_T538C : Table stores Generated Table for View V_T538C
- V_T779X_1 : Table stores Generierte Tabelle zu einem View
- V_528B_D : Table stores Generierte Tabelle zu einem View
- V_T51CF : Table stores Generated Table for View V_T51CF
- H_T529A : Table stores Generierte Tabelle zu einem View
- T510B : Table stores Appraisal Constants
- T513U : Table stores Secondary System Documentation
- T518C : Table stores Education/Training Categories
- T51B1 : Table stores HR-ARC: Global Characteristics of Archiving Group
- T51B2 : Table stores HR-ARC: Special Attributes of the Archiving Group
- T51CB : Table stores Wagetypes for payrollfunction P0442
- T538D : Table stores Units of Time/Masurement
- T543S : Table stores Challenge Groups

- T544A : Table stores Car rule
- T544B : Table stores Car rule
- T557V : Table stores Membership Function
- T557W : Table stores Text for Membership Function
- T577S : Table stores Family Characteristics Texts
- V_T51CB : Table stores Generated Table for View V_T51CB
- V_T52IE : Table stores Generated Table for View V_T52IE
- V_T569T : Table stores Generated Table for View V_T569T
- V_T591A_ESSEX : Table stores Generated Table for View V_T591A_ESSEX
- V_536A_B : Table stores Generated Table for View V_536A_B
- V_T511M : Table stores Generierte Tabelle zu einem View
- V_T528C_B : Table stores Generierte Tabelle zu einem View
- V_T529A_ESSEX : Table stores Generated Table for View V_T529A_ESSEX
- V_T536A : Table stores Generated Table for View V_T536A
- V_T599R_B : Table stores Generated Table for View V_T599R_B
- T512Z_ESSEX : Table stores ESS: Deactivate Wage Types per Infotype
- H_T512Z : Table stores Generated Table for View H_T512Z
- H_T526 : Table stores Generated Table for View H_T526

<http://sapbrainsonline.com/hr-tutorial/hcm-pa-module.html>
